

Shenzhen Pushdon Technology Co., Ltd

Charge Wireless • Live Boundless

A large, stylized graphic on the left side of the slide. It features a solid green lightning bolt in the center, surrounded by numerous concentric, slightly offset lines that create a sense of depth and movement. The lines are light green and fade out towards the left edge of the slide.

CONTENTS

1

COMPANY PROFILE

2

PRODUCT INTRODUCTION

COMPANY PROFILE

Shenzhen Pushdon Technology Co., Ltd (“Duzzona”) is dedicated to the research, design, manufacturing and sales of wireless chargers, wall chargers and charging cables. Duzzona has professional R&D teams and high-standard quality control system, supported by factory with size more than 5000 square meters and about 120 employees, which has also been certified by ISO9001 and BSCI.

With “Technology, Fashion, Simplicity” as core philosophy, Duzzona keeps investing in research and design innovation since foundation. Whilst improving product quality, Duzzona insists on launching unique products and has developed plenty of patents and production technologies to providing customers best OEM/ODM services.


In the future, Duzzona will insist on R&D investment and strive for developing more and more creative and excellent products for customers and thus helping more people achieving better life and enjoying the benefits of new technology.





FACTORY PHOTOS





Wireless Charger

W26 2in1 Magnetic Wireless Charger

Name: 2-in-1 magnetic wireless charger

Model: W26

Product size: 155*115*115 mm

Product Net weight: 251g

Input: 5.0V/2A, 9.0V/3A, 12V/1.5A

Transmission distance: 3-6 mm

Color: GreyBlue

Material: ABS+PC

Charging conversion rate: $\geq 75\%$

Night light output: 2W (max)

Color temperature: 2700K

Mobile output: 5W/7.5W/10W/15W

Battery capacity: 300mAh

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W24 5in1 Wireless Power Bank

Name: 5in1 Magnetic Wireless Power Bank Station

Model: W24

Product size: 120*108*72 mm

Power Bank size: 106*67*9.7 mm

Product Net weight: 223g

Power bank Net weight: 107g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: GreyBlue

Material: ABS

Charging conversion rate: $\geq 75\%$

Watch output: 3W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Power bank capacity: 5000mAh / 3.85V / 19.25Wh

Power bank Rated capacity: 2800mAh

Power bank input: 18W, Output: 20W

Ambient light: LED

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W23 5in1 Wireless Charger

Name: 5in1 Magnetic Wireless Charging+Bluetooth Speaker

Model: W23

Product size: Ø 80*83 mm

Net weight: 255g

Input: 9.0V/3A

Transmission distance: 3-6 mm

Color: White

Material: ABS+ Silicone

Charging conversion rate: $\geq 75\%$

Watch output: 3W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

BT speaker+ambient light: 4W

BT version: 5.1

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W22 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W22

Product size: 135*66*21mm

Net weight: 196g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: grey

Material: Aluminum Alloy+ABS+Acrylic

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W21 3in1 Wireless Charger

Name: Qi2 3in1 Magnetic Wireless Charging Stand

Model: W21

Product size: 67.6*107.2*117mm

Net weight: 175g

Input: 5.0V/3A, 9.0V/3A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2



W20 4in1 Wireless Charger

Name: 4in1 Magnetic Wireless Charging House

Model: W20

Product size: 120*90*68 mm

Net weight: 220g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Night light: LED

Material: ABS+Painting

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W19 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W19

Product size: 140*70*20mm

Net weight: 170g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Aluminum Alloy+Fabric

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC





W18 Wireless Charger

Name: Magnetic Wireless Charging

Model: W18

Product size: $\varnothing$ 58.5*7.5mm

Net weight: 59.6g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: White

Material: Aluminum Alloy+Silicone

Charging conversion rate: $\geq 75\%$

Earphone output: 5W (max)

Mobile output: 5W/7.5W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2



W17 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W17

Product size: 121*70*130mm

Net weight: 150g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: Black

Material: ABS+Tempered Glass

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W16 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W16

Product size: 175*125*136mm

Net weight: 290g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Zinc Alloy

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W15 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W15

Product size: 67.6*107.2*117mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W13 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W13

Product size: $\varnothing$ 60*8.5mm

Net weight: 46g

Input: 5.0V/2A, 9.0V/2.2A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W11 Wireless Charger

Name: Wireless Charging

Model: W11

Product size: $\varnothing$ 100*8.0mm

Net weight: 44g

Input: 5.0V/2A, 9.0V/2.2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: ABS

Charging conversion rate: $\geq 75\%$

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W10-A 3in1 Wireless Charger

Name: Wireless Charging Stand

Model: W10-A

Product size: 152*73*28mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate: $\geq 75\%$

Watch output: 3W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W10-S 3in1 Wireless Charger

Name: Wireless Charging Stand

Model: W10-S

Product size: 152*73*28mm

Net weight: 175g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate: $\geq 75\%$

Watch output: 3W (max)

Earphone output: 3W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W7 3in1 Wireless Charger

Name: 3in1 Magnetic Wireless Charging Stand

Model: W7

Product size: 60*60*7.5mm

Net weight: 50g

Input: 5.0V/2A, 9.0V/2.2A

Transmission distance: 3-6 mm

Color: White

Material: ABS

Charging conversion rate: $\geq 75\%$

Watch output: 2.5W (max)


Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W2 Wireless Charger

Name: Wireless Charging Stand

Model: W2

Product size: 69.5*137.4*17.2mm

Net weight: 148g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: Black

Material: ABS+Aluminum Alloy

Charging conversion rate: $\geq 75\%$

Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



W1 Wireless Charger

Name: Magnetic Wireless Charging Stand

Model: W1

Product size: $\varnothing$ 60*8.6mm

Net weight: 62g

Input: 5.0V/2A, 9.0V/2A

Transmission distance: 3-6 mm

Color: White

Material: ABS+Zinc Alloy

Charging conversion rate: $\geq 75\%$


Earphone output: 5W (max)

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC





V5 Pro Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount

Model: V5 Pro

Product size: 218*72*65mm

Net weight: 155g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

LED light: green/blue

Material: PC+ABS

Charging conversion rate: $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2





V5 Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount

Model: V5

Product size: Ø62.6*83.6mm

Net weight: 77.5g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

LED light: green/blue

Material: PC+ABS

Charging conversion rate: $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2





V4 Magnetic Wireless Car Charger

Name: Qi2 Magnetic wireless car charging mount

Model: V4

Product size: 215*72*58.5mm

Net weight: 192g

Input: 5.0V/2A, 9.0V/2.22A, 12V/1.67A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+TPU+PC

Charging conversion rate: $\geq 75\%$

Mobile output: 5W/7.5W/15W

Charging interface: Type-C

Execution standard: Qi2

Certification: CE ROHS UKCA FCC Qi2



V3 Magnetic Wireless Car Charger

Name: Magnetic wireless car charging mount

Model: V3

Product size: 215*72*58mm

Net weight: 145g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+TPU+PC


Charging conversion rate: $\geq 75\%$

Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC



V2 Magnetic Wireless Car Charger

Name: Magnetic wireless car charging mount

Model: V2

Product size: Ø59*76mm

Net weight: 60g

Input: 5.0V/2A, 9.0V/2A, 12V/1.5A

Transmission distance: 3-6 mm

Color: Black

Material: Aluminum Alloy+Tempered Glass

Charging conversion rate: $\geq 75\%$


Mobile output: 5W/7.5W/10W/15W

Charging interface: Type-C

Execution standard: Qi

Certification: CE ROHS UKCA FCC





Wall Charger

T10-01 GaN Charger

Name: PD65W GaN Charger

Model: T10-01

Size: 92*48*48 mm

Net weight: 170g

Color: Black

Material: Fireproof PC

Certification: CE ROHS

Input: AC100-240V~50/60Hz 1.5A Max

Output: 2C

C1/C2 5V 3.0A 9V 3.0A 12V 3.0A 15V 3.0A 20V 3.25A

Type-C1+Type-C2: 45W+20W

Wire Length: 0.7 m



T9-01 GaN Charger

Name: PD65W GaN Charger

Model: T9-01

Size: 80*43*28millimeters

Net weight: 130g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Input: AC100-240V~50/60Hz 1.6A Max

Output: 2C1A

C1/C2 5V 3.0A 9V 3.0A 12V 3.0A 15V 3.0A 20V 3.25A

PPS: 3.3-11V 4.05A 3.3-21V 3.0A (63W max)

USB-A: 5V 3.0A 9V 3.0A 12V 3.0A 20V 3.0A (60W max)

Type-C1+USB-A: 45+18W

Type-C1+Type-C2: 45+20W

Type-C1+Type-C2+USB-A: 45W+18W Max



T9-02 GaN Charger

Name: PD65W GaN Charger

Model: T9-02

Size: 83*55*48.5mm

Net weight: 130g

Color: White

Material: Fireproof PC

Certification: UKCA ROHS

Input: AC100-240V~50/60Hz 1.6A Max

Output: 2C1A

C1/C2 5V 3.0A 9V 3.0A 12V 3.0A 15V 3.0A 20V 3.25A

PPS: 3.3-11V 4.05A 3.3-21V 3.0A (63W max)

USB-A: 5V 3.0A 9V 3.0A 12V 3.0A 20V 3.0A (60W max)

Type-C1+USB-A: 45+18W

Type-C1+Type-C2: 45+20W

Type-C1+Type-C2+USB-A: 45W+18W Max



T7 GaN Charger

Name: PD30W GaN Charger

Model: T7

Size: 86*41*27mm

Net weight: 63g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Charging interface: 1C1A

Input: 100-240V~50/60Hz 1.0A

Output: C: 5V 3A 9V 3A 12V 2.5A 15V2A 20V1.5A

USB: 5V 3A 9V 2A 12V 1.25A



T6 Charger

Name: PD25W charger

Model: T6

Size: 80*43*28mm

Net weight: 55g

Color: White

Material: Fireproof PC

Certification: CE ROHS

Charging interface: 1C

Input: 100-240V~50/60Hz 0.8A

Output: C: 5V 3A 9V 2.77A 12V 2.08A



T3-02 Charger

Name: PD20W charger

Model: T3-02

Size: 70*48*42mm

Net weight: 62g

Color: White

Material: Fireproof PC

Certification: UKCA ROHS

Charging interface: 1C

Input: 100-240V~50/60Hz 0.6A

Output: C: 5V 3A 9V 2.22A 12V 1.67A



T3-01 Charger

Name: PD20W charger

Model: T3-01

Size: 82*43*27mm

Net weight: 54.6g

Color: White

Material: Fireproof PC


Certification: CE ROHS

Charging interface: 1C

Input: 100-240V~50/60Hz 0.6A

Output: C: 5V 3A 9V 2.22A 12V 1.67A





Charging Cable

A11 Data Cable

Name: PD65W CtoC data cable

Model: A11

Length: 1 m

Net weight: 19g

Color: White

Material: Liquid Silicone + TPE

Wire OD: 3.8mm

Output: 20V 3.25A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A10 Data Cable

Name: PD20W CtoL data cable

Model: A10

Length: 1 m

Net weight: 21.6g

Color: White

Material: Liquid Silicone +TPE

Wire OD: 3.8mm

Output: 9V 2.22A (9V 3A, 27W Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A9 Data Cable

Name: PD100W CtoC data cable

Model: A9

Length: 1 m

Net weight: 37g

Color: Black

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 4.9mm

Output: 20V 5A

Data cable transmission: USB3.2 Gen2x1 (10Gbps)

Certification: CE ROHS FCC UKCA



USB 3.2



A8 Data Cable

Name: USB to C data cable

Model: A8

Length: 1 m / 2 m

Net weight: 24g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 5V 3A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A7 Data Cable

Name: USB to L data cable

Model: A7

Length: 1 m / 2 m

Net weight: 24g

Color: Gray


Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 5V 2.4A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A6 Data Cable

Name: PD65W CtoC data cable

Model: A6

Length: 1 m

Net weight: 26g

Color: Transparent terminal+black braided wire

Material: high-density Nylon braided wire+PVC+transparent shell

Wire OD: 3.8mm

Output: 20V 3.25A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A5 Data Cable

Name: PD20W CtoL data cable

Model: A5

Length: 1 m

Net weight: 26g

Color: Transparent terminal+black braided wire


Material: high-density Nylon braided wire+PVC+transparent shell

Wire OD: 3.8mm

Output: 9V 2.22A (3A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A4 3 in 1 Data Cable

Name: 3 in 1 Data Cable (100W, C to C+L+Mic)

Model: A4

Length: 1.3 m

Net weight: 68g

Color: Black



Material: Transparent terminal +TPE +aluminum alloy shell

Wire OD: 3.8mm

Output: C 5A, L 3A, Mic 2A (5A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A3 3 in 1 Data Cable

Name: 3 in 1 data cable (USB to C+L+Mic)

Model: A3

Length: 1.3 m

Net weight: 57g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 4.2mm

Output: C 5V3A, L 5V 2.4A, Mic 5V 2A (3.5A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A2 Data Cable

Name: PD65W CtoC data cable

Model: A2

Length: 1 m / 2 m / 3 m

Net weight: 23g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 20V 3.25A

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



A1 Data Cable

Name: PD20W CtoC data cable

Model: A1

Length: 1 m / 2 m / 3 m

Net weight: 23g

Color: Gray

Material: Aluminum alloy shell+Nylon braided wire+TPE

Wire OD: 3.8mm

Output: 9V 2.22A (3A Max)

Data line transmission: USB2.0 (480Mbps)

Certification: CE ROHS FCC UKCA



THANK YOU

www.duzzona.com